

دورة سنة 2009 العادية	امتحانات شهادة الثانوية العامة فرعا : الاجتماع و الاقتصاد و الآداب و الإنسانيات	وزارة التربية والتعليم العالي المديرية العامة للتربية دائرة الامتحانات
الاسم: الرقم:	مسابقة في مادة الفيزياء المدة: ساعة واحدة	

**This exam is formed of three exercises in two pages**  
**The use of non- programmable calculators is recommended**

### **First Exercise (7 points)**


#### **Transformations of energy**

The object of this exercise is to study the transformations of energy during the motion of a skater, taken as a particle, on the path ABCD.

The mass of the skater with his equipment is 60 kg. The force of friction along the part BC (BC = 4m) is constant and horizontal and of magnitude  $f = 60 \text{ N}$  ; we neglect the force of friction along the parts AB and CD of the path.

The horizontal plane containing BC is taken as a gravitational potential energy reference. Take  $g = 10 \text{ m/s}^2$ .

The skater starts from rest from the point A at an altitude  $h_A = 3.5 \text{ m}$ .



- 1) a) In what form is the energy stored in the system (S) [skater -Earth] at point A?  
Calculate the value of this energy.
- b) Deduce the value of the mechanical energy  $M.E_A$  of the system (S) at point A.
- 2) While going down from A to B, the system (S) loses gravitational potential energy. Why?
- 3) Determine the mechanical energy  $M.E_B$  of the system (S) at point B.
- 4) While moving from B to C, the system (S) loses a part  $E_1$  of its energy.
  - a) In what form of energy does this loss appear?
  - b) Knowing that  $E_1 = f \times BC$ , calculate  $E_1$ .
  - c) Deduce the value of the mechanical energy of (S) at point C.
- 5) Determine the height of the highest point I that the skater may reach on the part CD.

### **Second Exercise (7 points)**

#### **Effect of radiations on the living organism**

**Read carefully the following selection then answer the questions that follow**

« Radiotherapy is a technique used in medicine for destroying cancerous cells. It may be done using cobalt ( ${}_{27}^{60}\text{Co}$ ) or polonium ( ${}_{84}^{210}\text{Po}$ ) ...

Cobalt disintegrates giving  $\gamma$  radiation that destroy the malignant (infected) cells without altering deeply the healthy ones.

The implanted polonium produces intense but localized  $\alpha$  radiation thus destroying also the malignant (infected) cells without altering the surrounding healthy tissues...


A person (A), treated by cobalt, absorbs 0.05 J/kg of  $\gamma$  radiation; another person (B), treated by polonium, absorbs 0.05 J/kg of  $\alpha$  radiation » .

**Given** : R.B.E ( $\gamma$ ) = 1 and R.B.E ( $\alpha$ ) = 20 .

Physiological Equivalent of dose (Sv)	Effect
> 10	Mortality
5	Diarrhea and 50% mortality
2	10% mortality and cancer
1	Digestive troubles
0.05	Modification of the blood formula

### Questions

The disintegration of cobalt takes place according to the following reaction:



- 1) a) Determine, specifying the laws used, the values of A and Z  
b) Identify the emitted particle  ${}_Z^A\text{X}$  .
- 2) We read in the selection about radiotherapy as a medical technique. Give the names of two other techniques used in medicine.
- 3) Draw from the selection the statement that refers to the absorbed dose.
- 4) Calculate, in Sv, the physiological equivalent of dose for the person (A) and that for (B).
- 5) Specify, with justification, the effect of these radiations on (A) and on (B).

### Third Exercise (6 points)

#### **Motion of the planets**

*Read carefully the following selection then answer the questions that follow*

« The motion of the planets in the deep sky has been a mystery since ancient times ... the retrograde motion of Mars was particularly surprising ... Tycho Brahé (1546 - 1601), performing so accurate observations without using a telescope, was able to draw large data from which Kepler (1571-1630) was able to establish the three empirical laws of the planetary motion... Later on, Isaac Newton (1642 - 1727), by his law of universal gravitation, confirmed these laws of Kepler ... »

### **Questions**

- 1) The planet Mars belongs to one of the two groups of the solar system.
  - a) What is the name of this group?
  - b) What do we call the other group of planets? Give the name of one planet of this group.
  - c) The retrograde motion of Mars was interpreted by Ptolemy by introducing two trajectories. Give the names of these two trajectories.
- 2) What is the basic difference between the geocentric theory and the heliocentric theory?
- 3) Draw from the selection the statement that shows the contribution of Tycho Brahé in astronomy.
- 4) Kepler established three laws of the planetary motion. Give the statements of these laws.
- 5) Two satellites (A) and (B), of equal masses, orbit the Earth at the respective distances  $d_A$  and  $d_B$  so that  $d_A > d_B$ . Earth exerts on (A) and (B) forces of attraction of respective magnitudes  $F_A$  and  $F_B$ . Compare, with justification,  $F_A$  and  $F_B$ .

امتحانات الشهادة الثانوية العامة  
فرعا : الاجتماع و الاقتصاد والآداب و الإنسانيات  
اسس التصحيح مادة الفيزياء. دورة سنة 2009 العادية

<u>First Exercise (7 points)</u>	<u>Second exercise (7 points)</u>	<u>Third exercise (6 points)</u>
<p>1)</p> <p>a) Gravitational potential energy (½)  <math>PE_A = mgh_A = 60 \times 10 \times 3.5 = 2100 \text{ J}</math> (1½)</p> <p>b) <math>ME_A = KE_A + PE_A</math>  <math>= 0 + PE_A = 2100 \text{ J}</math> (½)</p> <p>2) Because height decreases (½)</p> <p>3) Mechanical energy is conserved because no friction (½)</p> <p><math>\Rightarrow ME_B = ME_A = 2100 \text{ J}</math>. (½)</p> <p>4)</p> <p>a) In the form of heat (½)</p> <p>b) <math>E_1 = f \times BC = 60 \times 4 = 240 \text{ J}</math> (½)</p> <p>c) <math>ME_C = 2100 - 240 = 1860 \text{ J}</math> (1)</p> <p>5) <math>ME_C = ME_1 = 0 + mgh_1 = 1860</math>  <math>\Rightarrow h_1 = 3.1 \text{ m}</math>. (1)</p>	<p>1)</p> <p>a) Conservation of mass number : (½)  <math>60 = 60 + A \Rightarrow A = 0</math>. (½)</p> <p>Conservation of charge number : (½)  <math>27 = 26 + Z \Rightarrow Z = 1</math>. (½)</p> <p>b) The emitted particle is positron (<math>{}_{+1}^0e</math>). (½)</p> <p>2) Scitigraphy and tomography (1½)</p> <p>3) The body absorbs an energy of 0.05 J/kg (½)</p> <p>4) <math>E = D \times R.B.E</math>. (½)  <b>For (A)</b> : <math>E_A = 0.05 \times 1 = 0.05 \text{ Sv}</math>. (½)  <b>For (B)</b> : <math>E_B = 0.05 \times 20 = 1 \text{ Sv}</math>. (½)</p> <p>5) <b>For (A)</b>: Modification of blood formula (½)  <b>For (B)</b>: Digestive problem (½)</p>	<p>1)</p> <p>a) Inner group (or terrestrial). (½)  b) Outer group. (½)  any one of (Saturn Jupiter, Uranus, Neptune, Pluto). (½)  c) Epicycle and deferent (½)</p> <p>2) In the heliocentric theory the Sun is the center of the universe, but in the Geocentric theory, the Earth is the center of the universe. (1)</p> <p>3) « ... having done so accurate observations without using a telescope was able to draw large data ... » (½)</p> <p>4) <b>1<sup>st</sup> law</b> :  The planets move along ellipses around the Sun. (½)  <b>2<sup>nd</sup> law</b> :  The speed decreases as the distance from the Sun increases and vice versa. (½)  <b>3<sup>rd</sup> law</b> :  The period increases with the average distance from the Sun. (½)  5) <math>F_A &lt; F_B</math> (½) because <math>d_A &gt; d_B</math>, and Earth exerts a force of attraction which is proportional the inverse of the square of the distance between the Earth and the satellite. (½)</p>