دورة سنة 2010 الاكمالية الاستثنائية	امتحانات الشهادة الثانوية العامة فرعا الاجتماع والاقتصاد والآداب والإنسانيات	وزارة التربية والتعليم العالي المديرية العامة للتربية دائرة الامتحانات
الاسم: الرقم:	مسابقة في مادة الفيزياء المدة: ساعة واحدة	

# This exam is formed of three exercises in two pages. The use of non-programmable calculators is recommended

## First Exercise: (7 points) Work and energy

A car, of mass m = 1500 kg, starts from rest at the instant  $t_0 = 0$ , on a straight and horizontal road under the action of a constant horizontal motive force  $\vec{F}_m$  of magnitude  $F_m = 3500$  N. At the instant  $t_1$ , the car attains a speed of 25 m/s after covering a distance of 150 m.

We denote by (S) the system (car, Earth), and we take the horizontal plane passing through the center of gravity of the car as a reference level of the gravitational potential energy.

- 1) a) The mechanical energy E0 of (S) at the instant  $t_0 = 0$  is zero. Why?
  - **b**) Between the instants t0 and t1, the gravitational potential energy of (S) does not vary. Why?
  - c) Calculate the value of the mechanical energy  $E_1$  of (S) at the instant  $t_1$ .
- 2) Calculate the work  $W(\vec{F}_m)$  done by the force  $\vec{F}_m$  between the instants  $t_0 = 0$  and  $t_1$ .
- 3) Between the instants  $t_0$  and  $t_1$ , the external forces acting on the car are reduced to two: the motive force  $\vec{F}_m$  and a force  $\vec{F}'$ . Knowing that  $E_1 E_0 = W(\vec{F}_m) + W(\vec{F}')$ .
  - *a*) calculate  $W(\vec{F}')$ , the work done by  $\vec{F}'$  between the instants  $t_0$  and  $t_1$ ;
  - **b**) Is  $\vec{F}'$  a motive or a resistive force? Why?
- 4) During the motion of the car, four forms of energy exist. Name these forms of energy.

## Second Exercise: (6 points) Nuclear Fusion

The Sun is composed of hydrogen, helium and other elements.

In its core, the pressure and the temperature are very high, and the fusion of hydrogen nuclei that occurs is the origin of the radiant energy.

The most likely fusion reactions take place according to the following equations:

$${}^{1}_{1}H + {}^{1}_{1}H \rightarrow {}^{A_{1}}_{Z_{1}}X + {}^{0}_{+1}e;$$

$${}^{A_{1}}_{Z_{1}}X + {}^{1}_{1}H \rightarrow {}^{3}_{2}He;$$

$${}^{3}_{2}He + {}^{3}_{2}He \rightarrow {}^{A_{2}}_{Z_{2}}Y + {}^{1}_{2}H;$$

**Given:** mass of the nucleus  $\binom{1}{1}H$  = 1.0073 u; mass of the nucleus  $\binom{4}{2}He$  = 4.0015 u; mass of the particle  $\binom{1}{1}e$  = 0.0006 u;

- $1 \text{ u} = 1.66 \times 10^{27} \text{ kg}$ ; speed of light in vacuum c =  $3 \times 10^8 \text{ m/s}$ .
- 1) Give the definition of a nuclear fusion reaction.
- 2) The fusion reaction requires a very high temperature in order to take place. Why?
- 3) Name the particle  ${}^{0}_{+1}e$ .
- 4) Calculate  $A_1$ ,  $Z_1$ ,  $A_2$  and  $Z_2$  specifying the laws used.
- 5) The overall equation of the fusion of hydrogen has the form:  $4_1^1H \rightarrow {}^4_2He + 2_{+1}^{0}e$ 
  - a) Determine the mass defect in this reaction.
  - **b**) Calculate the energy liberated by this reaction.

### Third Exercise: (7 points) The solar system

The following table summarizes certain characteristics of the planets of the solar system.

Planet	Mercury	Venus	Earth	Mars	Jupiter	Saturn	Uranus	Neptune	Pluto
Distance	0.38	0.72	1	1.52	5.2	9.53	19.19	30	39.53
from the									
Sun (A.U)									
Diameter	4878	12104	12756	6794	142796	120660	50800	48600	2300
(km)									
Mass (ME)	0.055	0.815	1	0.107	318	95	15	17	0.002
Period of	88	224.7	365.25	687	11.87	29.41	84	164.8	247.6
revolution	days	days	days	days	years	years	years	years	years
Period of	58.65	243	0.997	1.025	9 hours	10 hours	17 hours	16	6.4
rotation	days	days	day	day	55 minutes	40 minutes	14 minutes	hours	days
Temperature	-170	480	22	-170	-150	-180	-200	-210	-230
(°C)	to 450			to 35					
Atmosphere	none	CO <sub>2</sub>	$N_2, O_2$	CO <sub>2</sub>	H <sub>2</sub> , He	N <sub>2</sub>			
							$CH_4$	CH <sub>4</sub>	

#### 1) Define:

- **a**) Period of revolution of a planet;
- **b**) Period of rotation of a planet.
- 2) Referring to the above table, tell how the period of revolution of a planet varies with its distance from the Sun.
- 3) One of the planets has a period of rotation larger than its period of revolution. Which one?
- 4) Venus is farther from the Sun than Mercury, however its temperature is higher. Why?
- 5) The planets of the solar system are classified into two groups.
  - a) What are these two groups? Name two planets of each group.
  - b) Pluto differs from the other planets of its group. Give two differences.
  - c) These two groups are separated by a belt. Of what is this belt formed?
- 6) Referring to the table, tell why:
  - a) Venus is considered as the twin sister of the Earth;
  - **b**) human life on Venus is impossible.

دورة سنة 2010 الاكمالية الاستثنائية	امتحانات الشهادة الثانوية العامة فرعا الاجتماع والاقتصاد والآداب والإنسانيات	وزارة التربية والتعليم العالي المديرية العامة للتربية دائرة الامتحانات
الاسم: الرقم:	مسابقة في مادة الفيزياء المدة: ساعة واحدة	مشروع معيار التصحيح

### **First Exercise (7 points)**

Part	Answer	Mark
<b>1.</b> a	$ME_0 = KE + PEg; PEg = 0 \text{ and } V = 0 \Longrightarrow KE = 0 \Longrightarrow ME_0 = 0.$	1
1.b	Because there is no variation of height,	0.75
<b>1.c</b>	$E_1 = \frac{1}{2} \text{ mV}^2 + 0 = \frac{1}{2} \times 1500 \times (25)^2 \implies E_1 = 468\ 750\ \text{J}$	1
2	$W(\vec{F}_m) = F_m \times d = 3500 \times 150 \Longrightarrow W(\vec{F}_m) = 525\ 000\ J.$	1
<b>3.</b> a	$E_1 - E_0 = 468750 - 0 = 525000 + W(\vec{F}'_m) \Longrightarrow W(\vec{F}'_m) = -56250 \text{ J}$	0.75
<b>3.</b> b	Resistive. because $W(\vec{F}_m') < 0$	0.5
4	Chemical ; Kinetic, Thermal ; electric	2

# Second Exercise (6 points)

Part	Answer	Mark
1	Nuclear fusion reaction: two light nuclei combine together to form a heavier one.	1
2	In order to overcome the repulsive electrostatic force between the nuclei.	0.5
3	Positron.	0.5
4	Soddy's Law:	1.5
	Conservation of mass number: $A_1 = 2$ ; and $A_2 = 4$ .	
	Conservation of charge number $Z_1 = 1$ ; and $Z_2 = 2$ .	
5.a	$\Delta m = m_{bef} - m_{after} \Longrightarrow \Delta m = 0.0265 \text{ u}.$	1
<b>5.</b> b	$E = \Delta m \times c^2 = 0.0265 \times 1.66 \times 10^{-27} \times (3 \times 10^8)^2 = 0.39591 \times 10^{-11} \text{ J}.$	1.5

### Third Exercise (7 points)

Part	Answer	Mark
<b>1.a</b>	Period of revolution: is the duration of one rotation of a planet around the Sun.	0.5
1.b	Period of rotation: is the duration of one rotation of a planet around its axis.	0.5
2	As the distance from the Sun increases the period of revolution increases.	0.5
3	Venus	0.5
4	Existence of $CO_2 \Rightarrow$ Green house effect	0.5
5.a	Inner (Mercury, Earth, Mars, Venus)	1.5
	Outer (Jupiter, Uranus, Saturn, Neptune, Pluto)	
5.b	Pluto is: * solid	1
	* small mass or ( small diameter)	